



Tests & Turnaround Times

TEST	TURNAROUND TIME*
Cardiovascular disease/dyslipidemia Apo E Genotyping: Cardiovascular Risk	1 day
Celiac disease Celiac Disease HLA DQA/DQB Association Celiac Disease Antibody Panel tTG-IgA, EMA-IgA, Deamidated Gliadin IgA and IgG, Total IgA Deamidated Gliadin IgA Antibody Deamidated Gliadin IgG Antibody Deamidated Gliadin IgA and IgG Antibodies Endomysial (EMA) IgA Antibody Tissue Transglutaminase (tTG) IgA Antibody Tissue Transglutaminase (tTG) IgG Antibody Tissue Transglutaminase (tTG) IgA and IgG Antibodies Total IgA	1-2 days 4-6 days 4-6 days 4-6 days 4-6 days 4-6 days 4-6 days 4-6 days 4-6 days 4-6 days 4-6 days
Cystic fibrosis Cystic Fibrosis DNA Test – Carrier screening and diagnostic testing Cystic Fibrosis DNA Test – Prenatal testing (CVS or amnio, direct or cultured)	1-2 days 3-4 days
Fragile X syndrome and related testing Fragile X DNA Test – Carrier and diagnostic testing Fragile X DNA Analysis – Prenatal CVS Fragile X DNA Analysis – Prenatal Amnio Fragile X Follow-up: Activation ratio, % meth, % pre Fragile X Protein (FMRP) Analysis FRAXE DNA Test FXTAS DNA Test (Fragile X-Associated Tremor/Ataxia Syndrome)	7-11 days 7-11 days 7-11 days 2-4 weeks 2-4 weeks 11-15 days 7-11 days
Hemochromatosis Hemochromatosis DNA Test	1 day
HLA-B27 (ankylosing spondylitis) HLA-B27 DNA Test	1 day

* Turnaround time represents business days.



Tests & Turnaround Times

TEST	TURNAROUND TIME*
Hypercoagulability	
Factor V Leiden DNA Test	1 day
Prothrombin (Factor II) DNA Test	1 day
Factor V Leiden/Prothrombin (Factor II) Combined DNA Test	1 day
Factor V R2 DNA Analysis	1 day
MTHFR DNA Test	1 day
Inherited Hypercoagulability Panel A (for patients not on coumadin therapy) †	3-5 days
Factor V Leiden DNA Test, Prothrombin (Factor II) DNA Test, Antithrombin III Activity, Protein C Activity, Protein S Activity	
Inherited Hypercoagulability Panel B (for patients on coumadin therapy) †	4-6 days
Factor V Leiden DNA Test, Prothrombin (Factor II) DNA Test, Antithrombin III Activity, Protein C/Factor IX Antigen Ratio, Protein S/Factor IX Antigen Ratio	
Homocysteine (serum)	5-6 days
† Tests in panels can be ordered individually. Call for details.	
Narcolepsy	
Narcolepsy HLA DQA/DQB Genotyping	2 days
Pharmacogenetics	
Warfarin Genetic Test (CYP2C9 and VKORC1)	1 day

* Turnaround time represents business days.